## HEALTH ADVISORY FOR PREVENTION AND SPREAD OF MEASLES

Measles is a viral serious respiratory disease (affecting lungs and breathing tubes) It is very contagious/infectious, It is a airborne infection and spreads through direct contact with infected person and through air. Measles remains a leading cause of death among young children (under 5 years) in many countries including India.

**Symptoms** 

Cough, runny nose

Red, watery eyes

Rash starting at head

Ear infection

Diarrhea

unvaccinated children
unvaccinated pregnant women
vaccinated without developed immunit

At Risk

severe cases more likely among undernourished, low vitamin A, or weakened by HIV/AIDS

## You can catch measles from an infected person even before they have a measles rash You can also catch measles just by being in a room where an infected person has

- been, up to 2 hours after that person is gone.
- It spreads when a person infected with the measles virus breathes, coughs, or sneezes.

## **PREVENTION - TREATMENT**

## Vaccinate ALL children

- -Vaccine is safe & effective, used for >50 years
- May be incorporated with Rubella and/or Mumps vaccine
- -Use 2 doses of Vitamin A supplements
- 24 hours apart to help prevent blindness
- -Use of Vitamin A reduces the number of deaths by 50%





Blindness
Ear Infection
Diarrhea
Diarrhea

Encephalitis

Directorate of Health Services Kashmir, India
INTEGRATED DISEASE SURVEILLANCE PROGRAMME (IDSP

www.facebook.com/idsp.sso; Email: kadrism@outlook.com Helpline: +919419010363/91-194-2440283

GRAPHICS: Melissa Trapp-Petty SOURCE: SM Kadri

